

## Claims

What is claimed is:

5

1. A computer-implemented method for maintaining cellular telecommunications site data, comprising the steps of:

providing a user interface accepting an identifier of a cellular telecommunications site;

10

in real-time, determining the cellular telecommunications site data corresponding to the cellular telecommunications site identified by the identifier; and

providing the cellular telecommunications site data to an output device.

15

2. The method of claim 1 wherein the step of providing a user interface comprises providing a user interface to one or more users.

3. The method of claim 1, wherein the one or more users have access to changes made to the cellular telecommunications site data by at least one other user.

T02T50-T04S5,6,7

4. An apparatus for maintaining cellular telecommunications site data, comprising:

a computer for use in maintaining the cellular the cellular telecommunications site data, the computer having one or more processors that execute one or more sets of instructions, a memory device for storing the one or more sets of instructions to be executed and a storage device coupled to the one or more processors, wherein the instructions in the memory device in the computer cause the one or more processors to:

provide a user interface;

accept an identifier of a cellular telecommunications site;

in real-time, determine the cellular telecommunications site data corresponding to the cellular telecommunications site identified by the identifier; and

provide the cellular telecommunications site data to an output device.

5. The apparatus of claim 4 wherein the output device is selected from the group of a monitor, a printer, a facsimile and a plotter.

6. The apparatus of claim 4 wherein one or more users have access to changes made to the cellular telecommunications site data that were made by at least one other user.

7. A computer-readable medium having a set of computer-readable instructions stored thereon, wherein the computer-readable instructions are operative to perform the following steps when executed by a computer:

5 provide a user interface accepting an identifier of a cellular telecommunications site;

in real-time, determine the cellular telecommunications site data corresponding to the cellular telecommunications site identified by the identifier; and

provide the cellular telecommunications site data to an output device.

1045600-1045600

8. A computer-implemented user interface for providing real-time cellular telecommunications site data to a user, the user interface comprising:

a plurality of tabs that provide access to different aspects of the cellular telecommunications network site data within a selected region field, wherein the plurality  
5 of tabs comprise a cell tab; and

when the cell tab is selected, a plurality of location information is displayed to the user.